effective adjunct therapy for gait training in patients, post , Paolo Hinahon,

Spinal Manipulation for Low Back Pain
Our goal was to determine if spinal manipulation was an effective long-term treatment in patients with chronic low back pain compared to other

Raleigh Sadang

Our goal was to determine if spinal manipulation was an effective long-term treatment in patients with chronic low back pain compared to other therapeutic techniques. We determined through the literature while this is effective, patients with back pain require a multi-modal approach to overall management of back pain. This prese

Galantino, Mary Lou – HLTH	Psychologically Informed Physical Therapy Interventions & ACLR Return to Sport Outcomes	Health
Alexandra Desmond, Jasper Orcino, Nicole Pallante, Jude Pino	We investigated the use of psychologically informed PT interventions in conjunction with physical rehabilitation focusing on athletes recovering from ACL repairs in improving their levels of self-efficacy and return to sport (RTS) outcomes. Our research highlights the importance of addressing the psychological aspects of RTS for successful outcomes.	
Gipson-Jones, Trina – HLTH	Work-Family conflict, job satisfaction and psychological well-	

HLTH

***Padden-Denmead, Mary - HLTH Parenting a Rainbow Baby in the NICU Post Perinatal Loss

**Padden-Denmead, Mary - Parenting a Rainbow Baby in the NICU Post Perinatal Loss

**Purpose: To present the findings from a phenomenological study investigating the experience of families who suffered a perinatal loss prior to parenting an infant hospitalized in a Neonatal Intensive Care Unit. Co Investigators: Ann Coyle, RN, and Stockton Alumna Erin Schermerhorn, RN,